

## The Radical Act of Inward Looking

Paul Freedman M.S.W., R.S.W., Jonathan Goldberg M.S.W., R.S.W., Jaak Reichmann M.D., FRCP (C)

### **Abstract**

In keeping with the new wave of context –focused treatment approaches such as Acceptance and Commitment Therapy (ACT), Mindfulness Based Stress Reduction (MBSR) and Mindfulness Based Cognitive Therapy (MBCT), we discuss an innovative behavioral intervention referred to as the Act of Inward Looking. The theoretical underpinnings of this intervention are based on the assumption that the primary cause of human psychological suffering is a pervasive fear of life which is established at birth and thereafter operates as an *unconscious psychological context* or schema. Problematic symptoms, negative behavioral traits and reactions as well as our attempts to get rid of them are seen as *effects* of this lifelong pernicious context. The Act of Inward Looking primarily targets and modifies this context and is thought to subsequently lessen or extinguish many of the aforementioned effects. The Act of Inward Looking is described in detail and viewed, in part, through the lens of In Vivo Exposure Therapy, as well as contrasted with mindfulness-based practices. The use of a trans-personal intervention within a behavior therapy framework (exposure) represents a unique integration of historically divergent theoretical camps.

Keywords: transpersonal psychology, the act of inward looking, mindfulness, exposure therapy, behavior therapy, anxiety disorders, mood disorders

## The Radical Act of Inward Looking

Anxiety and depressive disorders are the most common psychological disturbances in the western world. Based on the most recent statistics (2005 to 2008) from the National Institute of Mental Health (NIMH), the 12 month prevalence rate for depression in the general (non-institutionalized) American population is 6.7 % and lifetime prevalence is 16.5%. At the same time, the 12 month prevalence rate for anxiety disorders is 18.1% and lifetime prevalence is 28.8%. According to these statistics, almost half (45.3%) the general population in America will have an anxiety or depressive disorder during some period in their lives. Based on 2004 U.S. Census data, in a given year approximately 20.9 million American adults will have a mood disorder (e.g. Major Depressive Disorder, Dysthymic Disorder and Bipolar Disorder) and approximately 40 million American adults will have an anxiety disorder. These astronomical numbers represent almost a quarter of the American population.

There is also a growing body of research supporting the view that there may be much more commonality or overlap between disorders than difference or distinction. For example, between 62 and 80 percent of individuals diagnosed with Post Traumatic Stress Disorder (PTSD), which is classified as an anxiety disorder, meet the criteria for at least one other disorder (Davidson and Fairbank, 1993). As well, the significant comorbidity between PTSD and depression is extensively documented (Keane & Wolfe, 1990; Kessler, Sonnega, Bromet, Hughes, Nelson, 1995) and PTSD co-occurring with substance abuse is so common that clinically it is to be expected (Najavits, 2001; Oimette & Brown, 2003; Ruzek, Polusny, Abueg, 1998). At the same time, pharmaceutical treatments for both depression and anxiety disorders are

similar, that is, both are typically treated with antidepressants; which claim billions of dollars in annual sales in the U.S. (Whittacker, 2010, p.3). In fact, in any given 30 day period, 14% of the civilian population in America is prescribed antidepressants (Center for Disease Control and Prevention, United States, 2011). The examples above are but a few of the many providing evidence that there is an incredible prevalence of people being diagnosed with anxiety and mood disorders, as well as a considerable overlap between apparently distinct classifications of disorders, leading one to wonder whether these classifications reflect distinct pathologies at all.

Dr. Sheldon Preskorn, a fellow of the American Psychiatric Association and the American Psychopathological Association explored this overlap between DSM-IV syndromes. He examined the diagnostic and associated features listed in the DSM-IV for Bipolar Disorder Type I and then compared their features with those for other psychiatric syndromes, which included other mood disorders, anxiety disorders, psychotic disorders, and personality disorders (see Appendice). Dr. Preskorn explains his findings:

*Given this considerable overlap in signs and symptoms, it should be no surprise that many patients have features and may meet criteria for more than one psychiatric syndrome. Depending on the orientation of the clinician or researcher, they may be given multiple "comorbid" diagnoses, even though the same signs and symptoms are the basis for these different diagnoses. Alternatively, patients with the same condition may receive different diagnoses based on which diagnosis is favored by a specific clinician. Thus, the same patient might be diagnosed as having schizoaffective disorder by one clinician and borderline personality disorder by another because of the overlap of symptoms; or the same patient might be diagnosed as having both schizoaffective disorder and borderline personality disorder (Preskorn & Baker, 2002, p.5).*

Barlow and colleagues (2004) similarly observe that, “...*the nature of emotional disorders reveals that commonalities in etiology and latent structure among these disorders supersede differences*” (p.205). They go on to explain that, *there is wide agreement that the DSM-IV represents the zenith of a splitting approach to nosology, with the obtained advantage of high rates of diagnostic reliability. But there is growing suspicion that this achievement has come at the expense of diagnostic validity, and that the current system... may be erroneously distinguishing categories that are minor variations of broader underlying syndromes* (Barlow, Allen, Choate, 2004, p. 211).

The question seems unavoidable as to whether these disorders are mostly a result of individual factors, such as genetics and temperament, and hence distinct, or might they also reflect underlying processes which are more endemic or generic to human experience? The wholesale application of similar treatment approaches to a wide range of problems suggests that the problem may be more endemic. For example, Mindfulness-Based Stress Reduction (Kabat-Zinn, 1990), Acceptance and Commitment Therapy (Hayes, Strosahl, Wilson, 2003) and Mindfulness-Based Cognitive Therapy (Segal, Williams, Teasdale, 2002) apply similar strategies to a broad range of problems and disorders versus particular interventions that would be tailored to treating only specific disorders. Again, this suggests commonality over differences. At the same time, these approaches tend to focus on alleviating a common process or problem, that is, our *reactions* to negative mind/body experiences, especially our propensity towards experiential avoidance. Experiential avoidance as a long-term strategy to alleviate negative symptoms ends up doing the opposite and exacerbates our suffering. As well, many of the strategies that we use in order to rid ourselves of feelings such as anxiousness, sadness, and anger may eventually cause these affects to become “disordered” (Eifert & Forsyth 2005, p. 55; Linehan, 1993).

In other words, often our efforts to cure may actually be contributing to the disease, and sometimes it even seems as though the struggle to control symptoms has become the disease. We can all agree that pain in life is inevitable, but the degree to which - and perhaps even what and certainly how - we suffer is quite malleable.

1. *Experiential Avoidance is a process whereby you are unwilling to connect to private experiences, such as, negatively evaluated emotional states, traumatic memories, negative thoughts, or unpleasant physiological sensations (e.g. rapid heart rate) and actively work to escape such experiences (Walser & Westrup, 2007, p.10).*

### **“Context is Decisive”**

– Werner Erhard

It is quite apparent when examining your internal negative narratives that your mind can generate all kinds of catastrophic thinking that seems to threaten you and your sense of safety. Hayes and colleagues (2003) have discussed how psychological suffering is often contextually bound through language-based processes. They draw on the philosophy of functional contextualism, as well as relational frame theory in providing a rationale for using Acceptance and Commitment Therapy (ACT) interventions. ACT interventions largely aim at changing the context and relationship with verbal processes rather than their content. In fact, many of the treatment approaches that incorporate mindfulness are in some way attempting to change the context in which psychological suffering occurs. Typically this is done by encouraging a welcoming, accepting and curious stance towards what are usually perceived as aversive phenomena: unpleasant thoughts, feelings and sensations. By not focusing solely on the content of aversive phenomena, but rather by adjusting the psychological context, the nature of the

relationship fundamentally changes. For example, a typical Acceptance and Commitment Therapy intervention used in working with people experiencing intrusive mental imagery is to imagine that the images are being seen as if on a television screen. A welcoming stance is invited as the person tries to observe the aversive images, for example, in black and white, colour, with and without subtitles etc... This type of experiential exercise changes the person's relationship (context) to what has previously been experienced only as aversive (Harris, 2007). As Skinner put it, *"all these ways of changing a man's mind reduce to manipulating his environment verbal or otherwise"* (Skinner, 1969, p. 239). Here especially, context, *"verbal or otherwise"*, is everything.

### **But What if?**

But what if at birth a pernicious context is established and which, for the most part, operates outside of awareness? A grand context in which future psychological attempts and approaches to mend one's mind and life has us doomed from the start? What if many of our attempts to modify cognitions (Burns, 1990; Beck; 1995; Greenberger & Padesky, 1995), to become more accepting and present (Kabat- Zinn, 1990; Kornfield, 1993; Bennett- Goleman, 2001; Kumar, 2009), to process disavowed feelings (Fosha, 2000; McCullough, 2003; Greenberg & Johnson, 1988 ), to engage in solution focused strategies (Miller, Hubble, Duncan, 1996), and to create new empowering narratives (White & Epstein, 1990) are, in fact, tainted in such a way that the game is more rigged than we know and our efforts are already sabotaged?

John Sherman (2011) proposes that such a sabotaging context does in fact exist. It is likely created at birth and shapes and influences all other psychological contexts. This context of

all contexts, this grand schema, is primary and foundational. Essentially, this largely unconscious grand schema holds that life is to be feared and living should be fearful.

### **The Delivery**

Sherman is certainly not alone in identifying human birth as traumatic, having a profound impact on future psychological and behavioral development (Grof, 1976; Janov, 1983; Rank, 1924; Verny, 1982 and others). Slotkin and Seider (1988) who extensively studied the universal stress response in human birth found that even normal uncomplicated delivery “*is accompanied by a surge of stress hormones, including catecholamines and corticosteroids*” (p.283). It must be noted that while we consider regular birth as traumatic enough to establish the fear of life (the grand schema), birth trauma in the form of removal by forceps, oxygen deprivation, caesarean delivery, to name only a few, is incredibly common. Dr. William Emerson (1987), for example, found 55 percent of a sample of 200 children had moderate to severe birth trauma. Sherman below, however, describes the stress likely experienced in a physiologically uncomplicated birth.

*The fear of life rises up automatically in us, most likely when we are ejected from the womb at actual physical birth. Without warning, we are abruptly awakened into a wild, raging storm of what we will eventually come to call experience, feeling, sensation, emotion, and so forth. Consciousness of our existence is driven from its deep slumber in the womb into a startling eruption of violent and erratic movement, pain, pressure, noise, glaring light, and all the drama that attends our expulsion into the world. Fear and contraction inevitably ensue* (Sherman, 2011, p 1).

John Rowan (1996), psychologist and Fellow of the British Psychological Society, who writes extensively on the trauma of birth essentially names this “*fear and contraction*” as a traumatic reaction and acknowledges its long-reaching effects on the human being. *The way that birth or early trauma occurs, persists, and is repeated indefinitely shows the same logic and pattern as characterizing adult Post-Traumatic Stress Disorder (PTSD). The trauma of birth for the baby and of the soldier affects them similarly* (p.36).

Psychiatrist Michael Scheeringa and his research team found that “*a post-traumatic syndrome does appear to exist in infants and children exposed to traumatic events.*” Their conclusion from their research is that, “*any lingering notion that infants cannot be affected by trauma because of their limited perceptual or cognitive capacities ought to be dispelled by these empirical findings*” (Scheeringa, Zeanah, Drell, Larrieu, 1995, p.199). It seems that despite common beliefs that infants are unaware and unaffected by their births, infants are in fact capable of registering threat. Moreover, Rochat (2003), for example, states:

*It appears that immediately after birth; infants are capable of demonstrating already a sense of their own body as a differentiated entity: an entity among other entities in the environment...from birth, infants differentiate self vs. non self-touch, between stimulation originating from either their own body or an external source. Contrary to the assumption of many classical theories of child development, infants are not born in a state of fusion or confusion with the environment* (p.722).

Certainly there are variations in the intensity and type of trauma resulting from birth, as well as differences of later response and repair. Nevertheless, Otto Rank (1924) viewed all human beings as suffering trauma simply by being born and of the inevitably violent, physical and psychic separation from our mothers. Rank believed that in birth, where the infant moves

from a state of harmonious union with the mother to a state of painful rupture due to the violent and traumatic circumstances of birth, constitutes the earliest anxiety that a human being experiences (Woolverton, 2011). That anxiety, according to Rank, constitutes the blueprint for all other anxieties experienced later in life, referencing Freud's passing note in *The Interpretation of Dreams* (1909), when he writes that "*the act of birth is the first experience of anxiety, and thus the source and prototype of the affect of anxiety*" (p.525-526). Further, Rank (1924) holds that trauma forms the "*nucleus of the unconscious*" and that we have all been born into it (p. xxiii). Likewise, Grof (1970) sees birth trauma as being "*...on a completely different level of importance than any later psychological traumatization*" and as a result, "*speculations about subtle traumatization in the first months of life seem absurd if the traumatic effect of the birth is denied*" (p.4). Grof (1970) strongly reminds us that birth is "*a situation involving vital emergency, fight for breath, imminence of death and is comparable only to other situations involving agony and dying*" (p.4).

In this context, any traumatic event later experienced may also actually be a re-traumatization, which is to say, that any later experience of trauma will compound, exacerbate and make more complex that which is already there, and may not necessarily be the wholly and uniquely distinguishing genesis of the victim's problems. We all experience trauma by being born and consequently the foundational background of our psyches is the experience of trauma. How can the initial experience or relationship to life not be anxious and insecure, even phobic? Parental attempts to soothe and reassure their infants are perhaps actually attempts to counteract and repair this initial traumatic experience or breach, if you will.

### The Set Up

Sherman maintains that the trauma of birth, which it would seem is pretty much a given, creates an unconscious fear of life or primary schema, which, in turn, taints all subsequent experience. Again, this primary schema holds that we must be vigilant and fearful because life is dangerous. This stance operates outside of awareness yet plays itself out almost incessantly in our reactions in life, both interpersonally and intra-psychically. It is the stage to our experience of living. Sherman further proposes that the development of psychological and neurotic defense structures, problematic traits and behaviors, and the cognitive schemas that accompany them, have the imperative to serve this grand schema. In this way, we can see how experiential avoidance, behaviorally enacted through actual avoidance in day to day life, or enacted intra-psychically through cognitive strategies such as distraction, rumination, fantasy, dissociation etc...is, in one way or another, ubiquitous to human experience, as well as inherent in most psychological formulations regardless of the particular theoretical model.

While Sherman's hypothesis is compelling there are other explanations for the development of a fearful context of living. One such alternative is that this chronic context of fearful vigilance came about out of evolutionary processes. A number of authors have discussed how the human species is hardwired for generalized vigilance as well as narrow-focused vigilant attention purely for reasons of survival (Femhi 2007, Hanson 2013, Levine 1997, Prendergast 2015). Rick Hanson (2013), a neuropsychologist and author of *Hardwiring Happiness*, explains:

*Your brain is always on the lookout for potential dangers or losses, which is why news programs typically start their shows with the latest murder or disaster. As they say in journalism: If it bleeds, it leads. Over the course of evolution, animals that*

*were nervous, driven, and clinging were more likely to pass on their genes, and these inclinations are now woven into our DNA. Even when you feel relaxed and happy and connected, your brain keeps scanning for potential dangers, disappointments, and interpersonal issues. Consequently, in the back of your mind, there's usually a subtle but noticeable sense of unease, dissatisfaction, and separation to motivate this vigilance (p.20).*

Dr. Peter Levine, trauma specialist, and author of *Waking the Tiger: Healing Trauma (1997)*, goes on to say,

*Unlike wild animals, when threatened we humans have never found it easy to resolve the dilemma of whether to fight or flee. This dilemma stems, of part, from the fact that our species have played the role of both predator and prey. Prehistoric people, though many were hunters, spent long hours each day huddled together in cold caves with the certain knowledge that they could be snatched up at any moment and torn to shreds (p.18).*

As with many animals, humans needed to group together and co-operate for survival, but perhaps this is more so for humans given the obvious lack of fang and claw or even camouflage. Being part of a group, clan or tribe is essential for survival. The modern day psychiatric diagnosis of Social Phobia may perhaps have its origins here. It seems quite clear that anxiety around non-acceptance, judgment, and banishment, while distressing today, would have had very different ramifications for our prehistoric ancestors. John Prendergast (2015) explains,

*We are conditioned to try to control how we appear to others. We want to maintain an acceptable image within our "tribe", whether the tribe is our immediate family, a circle of friends, or our community. When we scratch the surface of a well-educated modern human, we*

*find a tribal member. There is a biological fear behind this concern for self-image. Outcasts never fared well in tribal societies – shunning meant almost certain death (p.103).*

Whether the cause for a fearful context of living is birth trauma, or a genetically “pre-installed” baseline of vigilance, or a combination of both and perhaps other factors as well, the fact remains that the fear of life exists. For almost all of us our modus operandi involves having to keep on the lookout for any form of threat. Threat may be both internal in the form of sensations, thoughts and feelings, or external.

Clinically, we see evidence of the effects of the fear of life in our work with clients and, for that matter, with the many people we encounter in day to day life. We see this process in therapy with the so called "worried well" who are generally able to function in life, but feel that something is inherently wrong, that something needs to be changed or fixed in some way. Simply put, there is a problem and it somehow has to do with life and their relationship to it.

Is it not common for clients suffering with mood and anxiety disorders to perceive their own thoughts, feelings and sensations with a sense of vigilance? Are we not always on the lookout for some kind of attack or, conversely, for positive experiences that might carry or catapult us away from this threatening life, if even momentarily? Is it possible, that many of the control-based coping strategies that Acceptance and Commitment therapists see as being doomed from the onset are not entirely doomed due to problematic language based processes, but doomed perhaps because these processes are occurring within a context that assumes life itself is threatening?

This notion of an inherent problematic context in human life echoes some of the ancient wisdom traditions. For example, in Buddhism, the term Dukkha refers the unexamined sea of discontent that the human being finds himself in; swimming or drowning rather well or rather

poorly depending on your point of view. Steven Hagen, in his book, *Buddhism: Plain and Simple*, explains:

*The first truth of the Buddha-dharma likens human life to the out-of-kilter wheel. Something basic and important isn't right. It bothers us, makes us unhappy, time after time. With each turn of the wheel, each passing day, we experience pain. Of course there are moments of pleasure. But no matter how hard we try to cultivate pleasure and keep it coming our way, eventually the pleasure recedes and the disturbance and vexation returns (p.26).*

Many forms of treatment are directed solely towards ameliorating symptoms. According to Sherman, while these treatments help to manage symptoms, none of these treatments are targeting the context in which the problems arose, namely, the context that sees life as the enemy. It can feel as though negative symptoms or experiences, especially if intense, only confirm this context and positive emotions or experiences seem only a temporary fluke, soon to be taken away as we are returned rightfully to the status quo of fear-based existence. Sherman sees symptoms, their sequelae, and all of our attempts to get rid of them as effects of this long-standing unexamined context, as well as the subsequent and incessant wound of alienation from life itself.

Sherman views this problem as being akin to a type of auto immune disease, which has profoundly afflicted humanity and left deep gouges in our collective psyches. Used like a slow-release antidote, he suggests a simple act, which he refers to as inward looking. Over time, this act of inward looking eliminates the fear of life and ameliorates its long standing effects, including many of the neurotic preoccupations, defensive contortions and psychological structures, which came into effect to keep this assumedly fearful life at bay.

*We've been trying forever to fix our lives by reforming our minds; we try to make the mind sweet, loving, and open-hearted rather than closed and mean-spirited; intelligent rather than stupid; sane rather than insane; clear rather than confused. But the mind — its character, its strengths, its weaknesses, its assumptions, its point of view, its volatility, its emotions, its thoughts, its wrongness and its rightness — the mind is not the problem. The mind is nothing really but a cloud of effects, many of which are symptoms of the fear of life... And of course, nothing works. How could it? There is nothing inherently wrong with seeking relief from the symptoms, but treating the symptoms will not cure this disease (Sherman, 2011, p.3-4).*

### **Exposure**

In behavior therapy it is accepted that treating phobias requires exposure to the aversive stimuli and the attendant associated feelings (McCullough, Kuhn, Andrews, Kaplan, Wolf, Hurley, 2003). We have found that the principles of exposure therapy are useful in conceptualizing the act of inward looking. With inward looking, however, the aversive stimuli is not specific in the typical or traditional sense, like spiders or heights, but is a rather grand and abstract concept, that is, life or being *within the living* (in vivo) world. As well, in traditional exposure the aversive stimulus is explicit, whereas, prior to engaging in the act of inward looking the aversive stimulus is at most implicit and likely unconscious.

The primary goal of inward looking is to directly experience the unchanging you. With this comes the recognition that the fundamental you has not been harmed by any of life's experiences. The assumption that we require constant protection from and outward vigilance towards life is thus challenged by seeing - on an experiential level- that you are now exactly as

you have always been. Experiencing the certainty of this begins to erode the fear-based context. As the fear-based context departs, life becomes more directly experienced and the attendant fears and neuroses about life are subsequently faced. This is in reverse order to traditional exposure therapy. In traditional exposure therapy you face the feared object or environment, as well as the attendant feelings and this exposure usually has the effect of indirectly changing the psychological and emotional context in which the experience arises. This also includes the interpretations that follow from this contextual shift; for example, not all spiders will harm you. With inward looking, however, the context in which experience arises is initially and directly changed by the act itself resulting in a subsequently less defended exposure to the feared environment (life). In turn, many of the neuroses constructed out of the fear-based context begin to fall away because there is no longer any context to support them; on an experiential level they become irrelevant. Over time this allows for the possibility of having an increasingly natural relationship with life. In Sherman's words, "*to be safe and sane in your own life*" (Sherman, 2011, p.1). In the chart on the following page we compare traditional exposure to the act of inward looking.

	<b>Traditional Exposure Therapy</b>	<b>The Act of Inward Looking</b>
<b>Aversive Stimuli</b>	Heights	Living and being in the world, which is aversive due to the context of fear established at birth
<b>Consequences</b>	Inability to engage in activities that involve being near high places	The development of a fear-based life which includes psychological/behavioral fear-based avoidant strategies and defensive mechanisms that developed in order to protect you from your life
<b>How You Approach the Aversive Stimuli</b>	Being exposed to high places	Engaging in the act of inward looking erodes the context that assumes life must be kept at bay. Experiencing this brings you into direct or unmediated contact with life itself
<b>What Often Initially Shows Up</b>	Anxiety and fear	<ul style="list-style-type: none"> <li>• Anxiety and fear</li> <li>• A feeling as if you have done something terribly wrong</li> <li>• Increased awareness of the fearful context that has been your life</li> <li>• Increase in the defensive strategies that you have used to keep life at bay</li> </ul>
<b>What Departs or Lessens</b>	The assumption that you need to fear high places and be protected from them	<ul style="list-style-type: none"> <li>• The assumption that you need to fear life and be protected from it</li> <li>• Many of the defensive and neurotic strategies that developed in order to protect you from life</li> </ul>
<b>The Outcome</b>	An ability to engage in behaviors that require you to be in high places	The ability, over time, to be fully immersed, to feel safe and at home in life; a natural life

While we have used some of the principles of exposure therapy as an explanatory lens, it is not necessary to have a full understanding of the theoretical underpinnings of exposure therapy in order to benefit from a traditional intervention. Simply engaging in the exposure, that is, facing the attendant feelings associated with the feared object, situation or context, begins to erode the fear. Likewise, with the act of inward looking, all that is needed is to engage in the act. This does not result in the appearance of something brand new, but rather the falling away of old fear-based reactive behaviors (Sherman, 2010). A similar falling away results in traditional exposure, but obviously the scale of what falls away is profoundly different.

Other similarities exist between the act of inward looking and engaging in exposure therapy. From hundreds of anecdotal accounts, people who engage in the act of inward looking often report increases or spikes in their feelings of anxiety, at least initially. In much the same way, people who engage in exposure therapy experience an increase in anxiety, that is, until their fears are extinguished. As an adjunct to exposure therapy, they will typically use a wide range of strategies and interventions to help regulate their anxiety. Some of these approaches may include mindfulness meditation, yoga, progressive muscle relaxation, as well as various psychotherapeutic interventions.

Sherman recommends the use of simple mindfulness training which can be used to stabilize attention prior to engaging in the act of inward looking, as well as providing a skillful means of managing the period that occurs subsequent to engaging in the act in which neurotic defenses may to varying degrees rise and fall. In other words, mindful attention can facilitate the

way into and through the looking as many of the neurotic behavioral traits and problematic reactions lessen or fall away once there is no fear-based context to support them.

It is important here to highlight some significant differences between the act of inward looking and mindfulness practice. Bishop and colleagues (2004) conceptualize mindfulness as being comprised of two components:

1. The self-regulation of attention so that it is maintained on immediate experience.
2. The adopting of a particular orientation towards one's experience characterized by curiosity, openness, and acceptance.

While Sherman's act of inward looking also requires an inward focus of attention, mindfulness intends to connect to immediate experience or the *present*, whereas, the act of inward looking intends to connect to "*presence*," meaning you, who is, in fact, always here in the present. At the same time, some mindfulness practices do draw on the concept of "the observer", which may in some ways seem to approximate inward looking, but it is still very much in the service of maintaining a focus on what shows up in the present. Sherman's act, however, exclusively directs focus on the constancy of you. This emphasis has an important and qualitatively profound difference and potentially different consequences or results. Unlike the second component of mindfulness, Sherman's act does not require an emphasis on any particular attitudinal orientation, other than perhaps an earnest intent and attempt to make momentary contact with the felt sense of "person-ness" (you). The act of inward looking is a specific behavioral act that aims to extinguish the fear of life which, according to Sherman, is the primary cause of human suffering. This intervention also appears to bring you into the actual or perhaps natural context of life which, as it turns out, is mostly to be trusted.

Focussing attention on an object that is arising in awareness, such as a thought, a feeling, a sensation, or a sound and then also on the details of that object as it is in the present moment is very different from focussing attention on and sensing the context in which those objects are occurring. In other words, the primary focus of attention is on the container or field in which those objects are arising and not on the objects themselves or within the details of those objects. As well, the experience of the present moment within context-focussed practices is automatic and inseparable, whereas within content-focussed practices the experience of the present moment is first generated by moving attention to an object, such as the breath, and then maintaining moment-to-moment attention on that object. These distinctions are crucial to understanding the difference between the non-dual forms of spiritual inquiry to other forms of spiritual and meditative practice.

This is not to say, that context focussed attention is never introduced or made available within clinically-based mindfulness programs, or that some blend can occur, but the vast majority of programs so far have been predominated by practices aimed at content-focussed attention. That being said however, there is a small but emerging number of mental health professionals who do utilize context-focused behavioural interventions. These include Stephen Bodian 2014, Richard Miller (2010, 2015), and John Prendergast (2015) all of whom were students of Jean Klein (1981, 2006), one of the preeminent non-dual teachers of the 20<sup>th</sup> century. Clinical programs which include practices that direct attention to the context of experience versus only the objects of experience are actually on the cutting edge of what seems to be a very exciting time in the field of mental health, where the spiritual and the psychological (clinical) have greater interplay and freedom.

Sherman's use of the personal pronoun seems a deliberate attempt to reduce the objectification, rarefication or abstraction of the unmediated subject (you), which is the tendency when using names or terms like "the observer", "witness", "true self", your name etc... Still, even the personal pronoun is an abstraction, in that once something is named it becomes a named thing, something other than what it actually is; we are very much bound by language. Nevertheless, the personal pronoun seems to be the least embroidered of such terms. Here, it is important to think of the word "me" or "you" as a pointer to the *direct experience of you* or, if you will, the smallest make-believe diving board or jumping off point possible. In this context, it is tempting to interpret the famous verse in Exodus 3:14 when God refuses to be named and utters the words "I am that I am" or "I will be what I will be" as a way to not become an abstraction, a concept, a false object of worship, an idol, but rather as a way to maintain direct divine subjectivity; to be a "living God".

### **Inward Looking**

The following, taken from Sherman's 2011 article entitled, "*The Fear of Life and the Simple Act of Inward Looking that Snuffs it Out*" (p.7) describes the act of inward looking, which is simultaneously the antidote for the fear of life.

#### **Step 1:**

##### ***Learn to Move the Beam of Your Attention at Will.***

To begin, just relax for a moment, and notice the obvious fact that you have the power to move your attention at will. As you read this, move your attention away from the text for a moment, and direct it instead to the feel of your breathing. Notice the feel of your chest and belly expanding and contracting, and then bring it back here to this page. Do that a couple of

times so that you become familiar with what I mean by "moving the beam of your attention at will." That action of moving attention at will, as you just did, is all that's needed to accomplish what I am asking you to do. The more you practice this simple act, the more you'll become familiar with how it feels to do it. And the more familiar you become with the feel of it, the more skillful and direct you will be in the effort to move the beam of attention where it must go.

### **Step 2:**

#### **Turn the Beam of Your Attention Inward.**

Use that skill to actually turn the beam of attention inward, trying to make direct, unmediated contact with the reality of your own nature, by which I mean you, just plain and simple you. You know what you are, and you will surely recognize yourself when you see yourself in this way. It really is that simple. Repeat this as often as it occurs to you to do so.

### **Some Problems with Simple**

While the act of inward looking may seem simple, performing the act can be confusing, challenging, and anxiety provoking. Attention is easily drawn to all kinds of phenomena, including thoughts, feelings, sensations, as well as stimuli in the environment that come and go in consciousness. Our capacity for attention essentially comes out of our need to scan the environment for phenomena that can either help us, harm us, or are of no consequence (Sherman, 2007). Attention, however, seems heavily weighted towards detecting threat. If our attention, for example, is drawn to ambiguous material in the environment, that is, unsure if friend, food or foe, survival value demands we interpret it as threatening. When our lives may be at stake, "better to be safe than sorry" is the rule. In other words, when the choices are between

threatening, ambiguous and benign material, the first two thirds are interpreted as threatening (Wilson, 2008, p.10). This ultimately has tremendous survival value, but is somewhat punishing on one's quality of life. Attention's primary role is to protect us from possible harm by locating threat. Protecting us from actual threat is obviously a vital function. That which is new and different must be assessed for threat. The act of turning our attention inward runs counter to this as attention must suspend its duty of constant outward vigilance. Sherman's act also feels contrary or unnatural, in that you place your attention on that which never changes, on that which has never been modified by any of life's experience versus attending to an ever-changing environment, as well as, adapting behaviorally based on experience. Most of us on occasion have caught a glimpse of this unchanging and unmodified sense of ourselves or the you that has always been you and will be you. For example, sometimes when looking in the mirror at yourself you might be struck by the fact that the image of the person you see has rather dramatically changed over the years, at times even to the point of looking like an impostor, and yet, in there it still feels like you. The feeling or experience of you when 6, 13, 24, 37 and now, for example, is exactly the same and you likely feel it with an indisputable certainty. Sherman is inviting us to turn our attention on exactly this, the sensate experience of unchanging you.

### **Some Help with Simple**

It seems that the purposeful, conscious, movement of attention towards the unmediated feeling of you (the process), which is inherent in the act of inward looking (and not the "seeing" or viewing of anything) is what extinguishes the context of fear. In other words, what is involved is the earnest intention towards the felt sense of you and not arriving at some particular vantage

point or the seeing of something new. It is also important not to confuse the felt sense of you with anything related to your identity, for example, your personality, traits, characteristics, personal narrative, image, thoughts and emotions. Again, it is the singular unchanging distinct feeling of you that is the invited focus of attention.

As inward looking has much to do with attention, sense and feeling it is really quite difficult to instruct someone on how to exactly perform this act or to see if they are doing it correctly. Sherman, however, provides some helpful guidance:

1. Try to bring to mind a memory of a moment in your early childhood. It doesn't need to be anything important: being in a room with adults, leaving a movie theatre, looking out the window, any memory will do, so long as you can evoke a reasonably accurate memory of the feel of it. Now, just for a second, see if you can remember what it felt like to be you then. Not what the event felt like, but what it felt like to be you. You may get just a fleeting whiff of it and, if you do, you will almost certainly recognize that it is exactly the feel of you now.
2. Notice the fact that you are certain of your own existence, in a way that you are certain of nothing else in the world. Look there, at that certainty, because that certainty itself is just another name for you.
3. Look for what is always here, what never moves, or changes, or comes, or goes. Everything in the universe moves. Everything moves but you.
4. Look for the person-ness of you. Nothing in the universe feels like a person but you.

(Sherman, 2011, p.9-10)

### **Anecdotal Reports**

Anecdotal reports from thousands of people worldwide suggest this intervention can profoundly affect your relationship with yourself and your life. The following includes some of the common effects that people have reported as a result of engaging in this act. (Sherman, *podcasts*, 2010-2012)

1. A falling away of a sense of urgency that something needs to be changed or fixed about you or your life.
2. An increased skillfulness in managing the day to day challenges of life.
3. A sense that the gap between yourself and your life is closing. Life feels more immediate. You might feel everything with greater intensity, but find that it somehow bothers you less.
4. People often report the awakening of a deep sense of gratitude for just being alive, even in the midst of seemingly stressful and "negative" situations.
5. The effects of having engaged in the act of inward looking over time, are often reported as being very similar to those described within the ancient wisdom teachings.

### **Qualifying Statement**

Sherman's act of inward looking is not being presented as an alternative to psychotherapy, psychopharmacology, or any other healing pursuit. Rather, it is being proposed as a radically new behavioral intervention that can be enacted on its own or as an adjunct to any

treatment or healing modality, traditional or alternative. Nothing is required other than a sincere willingness to engage in this act whenever it occurs to you to do so. No new belief needs to be taken on and no existing belief or practice needs to be discarded. Anecdotally, people have reported that as the effects of the context of fear begin to fall away, their psychotherapeutic work, meditation practice, as well as other healing pursuits seem to move along more quickly and with greater ease. This is no surprise as they report feeling less "at stake" or "on the line" in the psychotherapeutic process and in life in general.

### **Invitation and Recommendations**

- A) You are invited to try the act of inward looking for yourself, in earnest. Rather than looking for something new to appear as a result of engaging in this intervention, Sherman's suggestion is to take note of well-worn fear-based neurotic patterns and behaviors that naturally start to fall away (Sherman, 2011).
- B) We recommend that individuals take it upon themselves to be fully informed about inward looking and its possible effects prior to engaging in the act. We also recommend that individuals have access to supports that can help them in dealing with a possible increase in anxiety or any other distress that might arise from engaging in the act of inward looking.
- C) Given the large numbers of individuals who have reported significant benefit from engaging in the act of inward looking as well as other contextually focused interventions, we are planning clinical research aimed at measuring outcomes relative to more content-focused interventions.

**Appendice**

<b>Table</b>											
<b>1. Shared diagnostic and associated features listed in the DSM-IV for selected psychiatric syndromes</b>											
	Depressed mood		Lability of mood	Irritability	Anger/aggression	Concentration disturbance	Impulsivity	Reckless activity	Increased sexual behavior	Substance abuse	Suicidal ideation/ attempts
<ul style="list-style-type: none"> <li>• <b>X = diagnostic features</b></li> <li>• <b>(A) = associated features</b></li> </ul>											
<b>MOOD EPISODES</b>											
Major depressive episode	X			X	X	X				(A)	X
Manic episode		X	X	X	(A)	X	X	X	X	(A)	(A)
Mixed episode		X	X	X	X	X	X	X	X	(A)	X
Hypomanic episode		X	X	X		X	(A)	(A)	(A)	(A)	
<b>MOOD DISORDERS</b>											
Major depressive	X			X	X	X				(A)	X
Dysthymia	X			X	(A)	X				(A)	
Bipolar type 1		X	X	X	(A)	X	X	X	X	(A)	(A)
Bipolar type II	X	X	X	X	X	X	(A)	(A)	(A)	(A)	X
Cyclothymia	X	X	X	X	X	X	(A)	(A)	(A)	(A)	(A)
<b>ANXIETY DISORDERS</b>											
Generalized anxiety				X		X				(A)	
Posttraumatic stress disorder				X	X	X	(A)			(A)	
<b>PERSONALITY DISORDERS</b>											
Borderline	X		X	X	X		X	X	X	X	X
Antisocial	(A)			X	X		X	X	X	(A)	(A)
<b>Psychotic Disorders</b>											
Schizoaffective	X	X	X	X	X	X	X	X	X	(A)	X

(Preskorn& Baker, 2002)

### References

- Adyashanti, (2014) *Resurrecting Jesus*, Sounds True. Louisville CO
- Barlow, D.H., Allen, L.B., & Choate, M.L. (2004). Towards a unified treatment for emotional disorders. *Behavior Therapy*, 35, 205-230.
- Beck, J. (1995). *Cognitive therapy: Basics and beyond*. New York. NY: Guilford Press.
- Bennett, Francis (2008) *I am that I am: Discovering the love, peace, joy and the stability of the true self*. Non-Duality Press. Salisbury. UK.
- Bennett-Goleman, T. (2001). *Emotional alchemy: How the mind can heal the heart*. New York, NY: Random House.
- Bishop, S.R. et al., (2004). Mindfulness: A proposed operational definition. *Clinical Psychology: Science and Practice*. Autumn, 11, 3, 230-241. Retrieved December 7, 2012 from <http://www.prevention.psu.edu/projects/documents/Bishopetal.article.pdf>
- Blackstone, Judith. (2008). *The enlightenment process: A guide to embodied spiritual awakening*. Paragon House. St Paul MN.
- Bodian, Stephen. (2014). *Beyond Mindfulness: The Direct Approach to Lasting Peace, Happiness, and Love*. Waterfront Digital Books. Cardiff, CA
- Burns, David. (1990). *The feeling good handbook*. New York, NY: Plume.
- Center for Disease Control and Prevention. (2011). Retrieved December 7, 2012 from <http://www.cdc.gov/nchs/hus/contents2011.htm#100>
- Caplan, Mariana. (2009). *Eyes Wide Open: Cultivating Discernment on the spiritual path*. Sounds True. Boulder. CO

Davidson, J.R., & Fairbank, J.A. (1993). The epidemiology of posttraumatic stress disorder. In J.R. Davidson & E.B. Foa (eds.), *Posttraumatic Stress Disorder: DSM-IV and beyond* (pp. 147-169). Washington, D.C: American Psychiatric Press. 1993.

Eifert, G.H., Forsyth, J.P. (2005). *Acceptance and commitment therapy for anxiety disorders: A practitioners guide to using mindfulness, acceptance, and values-based behavior change strategies*. Oakland, CA: New Harbinger.

Emerson, W.R. (2001). Treating cesarean birth trauma during infancy and childhood. *Journal of Prenatal and Perinatal Psychology and Health*. Spring, Vol.15, #3.

1-10. Retrieved January 8, 2013 from <http://www.ehaeart.com/cesarean/emerson.html>

Emerson, W.R. (1987). Psychotherapy with infants. *Pre- and Perinatal Psychology News*, 1(2).

Fehmi, Les.(2007). *The open focus brain: Harnessing the power of attention to heal the mind and body*. Boston, MA: Trumpeter Books.

Fhemi, Les.(2010). *Dissolving Pain: Simple brain training exercises for overcoming chronic pain*. Boston, MA: Trumpeter Books

Fosha, D. (2000). *The transforming power of affect: A model for accelerated change*. New York: Basic Books.

- Freud, S. Die Traumdeutung.(1900). In J. Strachey (trans.), A. Richards, (ed.), *The interpretation of dreams*.(pp.525-526). London. Penguin Books. The Penguin Freud Library Volume IV. 1991.
- Greenberg, L. S, Johnson S.M. (1988). *Emotionally Focused Therapy for Couples*. New York, NY: Guilford Press.
- Greenberger, D. & Padesky, C. (1995).*Mind over mood: Change how you feel by changing the way you think*. New York, NY: Guilford Press.
- Grof, S. (1970).Beyond Psychoanalysis III. *Birth Trauma and its Relation to Mental Illness, Suicide, and Ecstasy*. Presented as a pre-print at the second interdisciplinary conference on voluntary control of internal states, Council Grove, KA.
- Grof, S. (1976).*Realms of the Human Unconscious*. New York: E.P. Dutton and Co.
- Hagen, S. (1977). *Buddhism: Plain and simple*. Boston MA: Charles E. Tuttle Co.
- Hanson, Rick (2009). *The Buddha's Brain: The practical neuroscience of happiness, love, and wisdom*. New Harbinger Publications. Inc. CA
- Hanson, Rick.(2013). *Hardwiring Happiness: The new brain science of contentment, calm, and confidence*. Harmony Books . NY
- Harris, R. (2007). *The happiness trap*. Australia: Exile Publishing Limited.
- Hayes, S., Strosahl, K.D., Wilson, K.G. (2003).*Acceptance and commitment: An experiential approach to behaviour change*. New York, NY: Guilford Press.
- Janov, A. (1983).*Imprints: The lifelong effects of the birth experience*. New York: Coward-McCann.
- Kabat-Zinn, J. (1990). *Full catastrophe living: Using the wisdom of your body and mind to*

- face pain, stress, and illness*. New York, NY: Bantam Dell.
- Keane, T.M., & Wolfe, J. (1990). Comorbidity in post-traumatic stress disorder: an analysis of community and clinical studies. *Journal of Applied Social Psychology*, 20 (21), 1776-1788.
- Kessler, R.C., Sonnega, A., Bromet, E., Hughes, M., & Nelson, C.B. (1995). Posttraumatic stress disorder in the national comorbidity survey. *Archives of General Psychiatry*, 52 (12), 1048-1060.
- Kiloby, Scot. (2013). *Natural Rest For Addiction*. Self Published.
- Klein, Jean. (1981). *Neither this nor that: I am*. London, UK: Watkins.
- Klein, Jean. (2006). *Be who you are*. Salisbury, UK: Non-Duality Press.
- Klein, Jean. (2006) *I am*. Salisbury, UK: Non-Duality Press.
- Kornfield, Jack. (1993). *A path with heart: A guide through the perils and promises of spiritual life*. New York, NY: Bantam Books.
- Kumar , S.M. (2009). *The mindful path through worry and rumination: Letting go of anxious and depressive thoughts*. Oakland, CA: New Harbinger Publications.
- Linehan, M.M. (1993). *Skills training manual for treating borderline personality disorder*. New York: Guilford Press.
- Lucille, Francis. (2006). *The Perfume of Silence*. Truespeech Productions. Temecula. CA
- McCullough, L. (1997). *Changing character: Short term anxiety-regulating psychotherapy for restructuring defenses, affects, and attachment*. York, NY: Basic Books.
- McCullough, L., Kuhn, N., Andrews, S., Kaplan, A., Wolf, J., Hurley, C.L. (2003). *Treating affect phobia: A manual for short-term dynamic psychotherapy*. New, NY: Guilford Press.

- Miller, S., Hubble, M.R., Duncan, B.L. (1996). *The handbook of solution focused brief therapy*. San Francisco: Jossey-Bass Publishers.
- Miller, Richard.(2010). *Yoga Nidra: A meditative practise for deep relaxation and healing*. Sounds True. Boulder, CO
- Miller, Richard.(2015). *The iRest Program for Healing PTSD* .New Harbinger. Oakland. CA
- Najavits, L.M. (2001). *Seeking safety: A treatment manual for PTSD and substance abuse*. New York: Guilford Press.
- National Institute of Mental Health (NIMH), *The numbers count: Mental disorders in America*. Retrieved January 14, 2013 from <http://www.nimh.nih.gov/health/publications/the-numbers-count-mental-disorders-in-america/index.shtml>
- Ouimette P., & Brown, P.J. (2003). *Trauma and substance abuse: Causes, consequences and treatment of comorbid disorders*. Washington DC: American Psychological Association.
- Prendergast, John, J., P. Fenner, S. Krystal. Eds. (2003). *The Sacred Mirror: Nondual wisdom and Psychotherapy*. Paragon House. St. Paul MN
- Prendergast, John, J., G. K. Bradford. Eds. (2007) *Listening from the heart of silence: Nondual wisdom and psychotherapy, Volume 2*. Paragon House. St. Paul MN
- Preskorn, S. H. & Baker, B. (2002). The overlap of DSM IV syndromes: Potential implications for the practice of polypsychopharmacology, psychiatric drug development, and the human genome project. *Journal of Psychiatric Practice*, May 2002, 170-177.
- Rank, O. (1924). *Das trauma der gerburt*. Leipzig/Vienna/Zurich: Inter-nat. psychoanal. Verlag. English translation: *The trauma of birth*. London: P. Keagan, Trench, Trubner, & Co. 1929. Reprinted with an introduction by E.J Lieberman, New York: Dover, 1993.

Rochat, P. (2003). Five levels of self awareness as they unfold in early life. *Consciousness and Cognition*. 12, 717-731.

Rowan, J. (1996). The trauma of birth. *Primal renaissance: The Journal of Primal Psychology*, Vol.2, Spring, No.1, 36-44.

Ruzek, J.I., Polusny, M.A., & Abueg, F.R. (1998). Assessment and treatment of concurrent posttraumatic stress disorder and substance abuse. In V.M. Follette, J.I. Ruzek, & F.R. Abueg (eds.), *Cognitive-Behavioral Therapies for Trauma* (pp. 226-255). New York: Guilford Press. 1998.

Scheeringa, M.S., Zeanah, C.H., Drell, M.J., Larrieu, J.A. (1995). Two approaches to the diagnosis of Post-Traumatic Stress Disorder in infancy and early childhood. *American Academy of Child and Adolescent Psychiatry*, 34 (2), 191-200.

Segal, Z.J., Williams M.G., Teasdale, J.D. (2002). *Mindfulness based cognitive therapy for depression*. New York, NY: Guilford Press.

Sherman, J. (2007). *Look at yourself*. Ojai, CA: Silent Heart Press.

Sherman, J. (2011). *The fear of life and the simple act of inward looking that snuffs it out*. Ojai, CA: Silent Heart Press.

Sherman, J. (2011). Retrieved March 11, 2013 from

[www.johnsherman.org/john\\_sherman.../2011/.../open-house-meeting...\\_April\\_13](http://www.johnsherman.org/john_sherman.../2011/.../open-house-meeting..._April_13), 2011, pp.1.

Sherman, J. Podcasts. 2010-2012. Retrieved January 14, 2013 from

[www.johnsherman.org/john\\_sherman\\_podcast](http://www.johnsherman.org/john_sherman_podcast)

- Skinner, B.F. (1969). *Contingencies of reinforcement: A theoretical analysis*. New York: Appelton-Century-Crofts.
- Slotkin, T.A., & Seideler, F.J. (1988). Stress in the fetus and newborn. In G.P. Chrousos et al., (eds.) *Mechanisms of physical and emotional stress. Advances in Experimental Medicine and Biology*, Vol. 245. (pp. 283-294). New York: Plenum Press.
- Spira, Rupert. (2008). *The Transparency of Things: Contemplating the Nature of Experience*. Non-Duality Press. Salisbury. UK
- US Census Bureau, (2005). *Population estimates by demographic characteristics*. Table 2: Annual Estimates of the Population by Selected Age Groups and Sex for the United States: April 1, 2000 to July 1, 2004 (NC-EST2004-02) Source: Population Division, US Census Bureau Release Date: June 9, 2005. Retrieved December 7, 2012 from <http://www.census.gov/popest/national/asrh/>
- Verny, T. (1982). *The secret life of the unborn child*. London: Sphere.
- Walser, R.D. & Westrup, D. (2007). *Acceptance & commitment therapy for the treatment of post-traumatic stress disorder & trauma-related problems*. Oakland CA: New Harbinger Publications, Inc.
- Whitaker, R. (2010). *Anatomy of an epidemic: Magic bullets, psychiatric drugs, and the astonishing rise of mental illness in America*. New York: Random House Inc.
- White, M. & Epstein, D. (1990). *Narrative means to therapeutic aims*. New York, NY: W.W. Norton and Company.
- Wilson, K. & Dufrene, T. (2008). *Mindfulness for two: An acceptance and commitment therapy approach to mindfulness in psychotherapy*. Oakland, CA: New Harbinger Pub. Inc.
- Woolverton, F. (2011). *The Trauma-Addiction Connection: Exploring the effects of trauma and the roots of addiction*. September 15, 2011. Retrieved March 7, 2013 from

[www.psychologytoday.com/blog/the-trauma-addiction-connection](http://www.psychologytoday.com/blog/the-trauma-addiction-connection)